

**GSFC JPSS CMO**  
**July 12, 2022**  
**Released**

474-00448-01-31, Revision A  
Joint Polar Satellite System (JPSS) Code 474

# **Joint Polar Satellite System (JPSS) Algorithm Specification Volume I: Software Requirement Specification (SRS) for AMSR-3 RDR**



NOAA / NASA

**Goddard Space Flight  
Center Greenbelt, Maryland**

# **Joint Polar Satellite System (JPSS) Algorithm Specification Volume I: Software Requirement Specification (SRS) for AMSR-3 RDR**

## **Review/Signature/Approval Page**

### **Prepared By:**

JPSS Ground Segment Systems Engineering

### **Approved By:**

Kellyann F. Jeletic  
Ground Segment Project SEIT Lead

Heather Kilcoyne  
JPSS Ground Segment Project Manager

**Electronic Approval available on-line at: [https://jpssmis.gsfc.nasa.gov/frontmenu\\_dsp.cfm](https://jpssmis.gsfc.nasa.gov/frontmenu_dsp.cfm)**

## **Preface**

This document is under JPSS Ground Segment (GS) configuration control. Once this document is approved, JPSS approved changes are handled in accordance with Class I and Class II change control requirements as described in the JPSS Configuration Management Procedures, and changes to this document shall be made by complete revision.

Any questions should be addressed to:

JPSS Configuration Management Office  
NASA/GSFC  
Code 474  
Greenbelt, MD 20771

## Change History Log

Revision	Effective Date	Description of Changes (Reference the CCR & CCB/ERB Approve Date)
Rev-	Jan 06, 2022	This version incorporates 474-CCR-21-5395 which was approved by JPSS Ground ERB on June 25, 2021, and the JPSS Ground CCR on the effective date shown.
Rev A	Mar 31, 2022	This version incorporates 474-CCR-22-5924 which was approved by JPSS Ground ERB on March 23, 2022, and approved by JPSS Ground CCB on the effective date shown.

## Table of Contents

1	INTRODUCTION .....	1
1.1	Identification .....	1
1.2	Algorithm Overview .....	1
1.3	Document Overview .....	1
2	RELATED DOCUMENTATION .....	2
2.1	Parent Documents .....	2
2.2	Applicable Documents .....	2
3	ALGORITHM REQUIREMENTS .....	3
3.1	States and Modes .....	3
3.1.1	Normal Mode Performance .....	3
3.1.2	Graceful Degradation Mode Performance .....	3
3.2	Algorithm Functional Requirements .....	3
3.2.1	Product Production Requirements .....	3
3.2.2	Algorithm Science Requirements .....	3
3.2.3	Algorithm Exception Handling .....	3
3.3	External Interfaces .....	3
3.3.1	Inputs .....	3
3.3.2	Outputs .....	3
3.4	Science Standards .....	4
3.5	Metadata Output .....	4
3.6	Quality Flag Content Requirements .....	4
3.7	Data Quality Notification Requirements .....	4
3.8	Adaptation .....	4
3.9	Provenance Requirements .....	4
3.10	Computer Software Requirements .....	4
3.11	Software Quality Characteristics .....	4
3.12	Design and Implementation Constraints .....	4
3.13	Personnel Related Requirements .....	4
3.14	Training Requirements .....	4
3.15	Logistics Related requirements .....	4
3.16	Other Requirements .....	4
3.17	Packaging Requirements .....	5
3.18	Precedence and Criticality .....	5
APPENDIX A.	REQUIREMENTS ATTRIBUTES .....	6

# 1 INTRODUCTION

The Joint Polar Satellite System (JPSS) is the National Oceanic and Atmospheric Administration's (NOAA) next-generation operational Earth observation program that acquires and distributes global environmental data primarily from multiple polar-orbiting satellites. The program plays a critical role in NOAA's mission to understand and predict changes in weather, climate, oceans and coasts, and the space environment, which support the Nation's economy and protect lives and property. For information regarding the JPSS Program, missions, instruments, and partners, see the JPSS website at <https://www.jpss.noaa.gov/>.

## 1.1 Identification

This volume documents the software used in the generation of Raw Data Record (RDR) algorithms for the Advanced Microwave Scanning Radiometer-3 (AMSR-3). It also documents the AMSR-3 RDRs.

## 1.2 Algorithm Overview

The AMSR-3 instrument is flown on the GOSAT-GW satellite operated by the Japanese Aerospace Exploration Agency (JAXA). It will not fly on any JPSS satellite but is part of the JPSS mission through an MOU between JAXA and NOAA. The GOSAT space segment is operated by JAXA, but the JPSS Ground System retrieves the data from AMSR-3 instrument on the GOSAT satellite and relays it to NOAA/NESDIS for processing. The JPSS ground processing software produces RDRs for AMSR-3 instrument from the application packets received.

## 1.3 Document Overview

Section	Description
Section 1	Introduction - Provides a brief overview of the JPSS Ground System and the relevant algorithm, as reference material only.
Section 2	Related Documentation - Lists related documents and identifies them as Parent, Applicable, or Information Documents such as, MOAs, MOUs, technical implementation agreements, as well as Data Format specifications. This section also establishes an order of precedence in the event of conflict between two or more documents.
Section 3	Algorithm Requirements - Provides a summary of the science requirements for the products covered by this volume.
Appendix A	Requirements Attributes - Provides the mapping of requirements to verification methodology and attributes.

## 2 RELATED DOCUMENTATION

The latest JPSS documents can be obtained from URL:

[https://jpssmis.gsfc.nasa.gov/frontmenu\\_dsp.cfm](https://jpssmis.gsfc.nasa.gov/frontmenu_dsp.cfm). JPSS Project documents have a document number starting with 470, 472 or 474 indicating the governing Configuration Control Board (CCB) (Program, Flight, or Ground) that has the control authority of the document.

### 2.1 Parent Documents

The following reference document(s) is (are) the Parent Document(s) from which this document has been derived. Any modification to a Parent Document will be reviewed to identify the impact upon this document. In the event of a conflict between a Parent Document and the content of this document, the JPSS Program Configuration Change Board has the final authority for conflict resolution.

Doc. No.	Document Title
474-01541	Joint Polar Satellite System (JPSS) Ground System Requirements Document (GSRD)
474-00448-01-01	Joint Polar Satellite System (JPSS) Algorithm Specification Volume I: Software Requirements Specification (SRS) for the Common Algorithms

### 2.2 Applicable Documents

The following documents are the Applicable Documents from which this document has been derived. Any modification to an Applicable Document will be reviewed to identify the impact upon this document. In the event of conflict between an Applicable Document and the content of this document, the JPSS Program Configuration Change Board has the final authority for conflict resolution.

Doc. No.	Document Title
474-00448-04-31	Joint Polar Satellite System (JPSS) Algorithm Specification Volume IV: Software Requirements Specification Parameter File (SRSPF) for the AMSR-3 RDR

### 3 ALGORITHM REQUIREMENTS

#### 3.1 States and Modes

Not applicable.

##### 3.1.1 Normal Mode Performance

Not applicable.

##### 3.1.2 Graceful Degradation Mode Performance

Not applicable.

#### 3.2 Algorithm Functional Requirements

Not applicable.

##### 3.2.1 Product Production Requirements

Not applicable.

##### 3.2.2 Algorithm Science Requirements

Not applicable.

##### 3.2.3 Algorithm Exception Handling

Not applicable.

#### 3.3 External Interfaces

##### 3.3.1 Inputs

Not applicable.

##### 3.3.2 Outputs

SRS.01.31\_144 The AMSR3 RDR software shall generate the AMSR3 Mission Data RDR from mission data packet APID specified in the JPSS Algorithm Specification Vol IV: SRSPF for AMSR3 RDR (474-00448-04-31) <RDR><Mission>.

*Rationale:* The AMSR Mission Data (Science) RDR is generated from the specified mission data packet APIDs.

*Mission Effectivity:* GOSAT-GW

*Block Start:* 2.5.0      *Block End:* 3.0.0

SRS.01.31\_145 The AMSR3 RDR software shall generate the AMSR3 Telemetry Data RDR from mission data packet APIDs specified in the JPSS Algorithm Specification Vol IV: SRSPF for AMSR3 RDR (474-00448-04-31) <RDR><Telemetry>.

*Rationale:* The AMSR Housekeeping Telemetry RDR is generated from the specified mission data packet APIDs.



*Mission Effectivity:* GOSAT-GW

*Block Start:* 2.5.0      *Block End:* 3.0.0

### **3.4 Science Standards**

Not applicable.

### **3.5 Metadata Output**

Not applicable.

### **3.6 Quality Flag Content Requirements**

Not applicable.

### **3.7 Data Quality Notification Requirements**

Not applicable.

### **3.8 Adaptation**

Not applicable.

### **3.9 Provenance Requirements**

Not applicable.

### **3.10 Computer Software Requirements**

Not applicable.

### **3.11 Software Quality Characteristics**

Not applicable.

### **3.12 Design and Implementation Constraints**

Not applicable.

### **3.13 Personnel Related Requirements**

Not applicable.

### **3.14 Training Requirements**

Not applicable.

### **3.15 Logistics Related requirements**

Not applicable.

### **3.16 Other Requirements**

Not applicable.

### **3.17 Packaging Requirements**

Not applicable.

### **3.18 Precedence and Criticality**

Not applicable.

## **Appendix A. Requirements Attributes**

The Requirements Attributes can be found in the VCRMs at Ground > Mission System Engineering > Ground SEIT Unrestricted > VCRM.

<https://jpss.gsfc.nasa.gov/sites/ground/MSE/9/Forms/AllItems.aspx?RootFolder=%2Fsites%2Fground%2FMSE%2F9%2FVCRM&FolderCTID=0x012000D0555EA1A211E64A9A7DE7CBCE72DE8B&View=%7B4267AEFE%2D7E8B%2D402D%2D919D%2D41BED55BA4E7%7D>